SUBJECT INDEX

ABAQUS, p. 1694
Absorbed energy, p. 1783
Acoustic emission, p. 1237
Actuators, embedded, pp. 262, 415, 459
Adaptive structures, pp. 262, 415, 459
Alumina, p. 2
Aluminum, p. 1742
Anisotropic elasticity, p. 573
Anisotropy and heterogeneity, p. 1500
Application of genetic algorithms, p. 1098
Ballistic efficiency, p. 1574
Ballistic limit, p. 1202
Beams
  buckling, p. 77
  composite, p. 1840
  delaminated, p. 77
Bond strength, p. 507
Boundary element method, p. 288
Boundary slippage, p. 1783
Buckling, p. 1114
Carreau constitutive relation, p. 343
CFRP, pp. 252, 507, 1250, 1803
Chain stitch, p. 1574
Coating layers, p. 167
Cocuring, p. 112
Complex moduli, p. 382
Composites
  3-D, p. 1114
  3-D braided, p. 526
  braided, pp. 656, 1158
  buckling, p. 36
  carbon-carbon, two-dimensional, p. 367
  ceramic fiber reinforced, p. 167
  compressive strength, p. 66
  cord rubber, p. 1261
  damage in, p. 1467
  elliptically delaminated, p. 36
  epoxy resin matrix, p. 1127
  fabric, p. 656
  fiberglass/epoxy, p. 486
  fiber-reinforced, pp. 288, 821, 1098, 1227
  fiber-reinforced elastomer, p. 1261
  flexural strength, p. 66
GFRP, p. 1237
glass/epoxy, pp. 543, 1140
graphite/epoxy, pp. 486, 526, 543, 980, 1009
hybrid, p. 112
injection molded, p. 784
interleaved, p. 1840
laminates, pp. 36, 112, 837, 940, 1394, 1783
materials, pp. 92, 382, 543, 837, 926, 1009, 1371, 1480, 1553, 1659
metal matrix, pp. 167, 800, 1413, 1480, 1742
multiphase, p. 1742
plates, pp. 36, 262, 415, 459
polymer, p. 980
polymer matrix, pp. 22, 130, 940
polyurethane matrix, p. 1202
reinforcement, p. 2
shells, p. 262, 392, 415, 459
short fiber, p. 1500
short fiber polymer, pp. 588, 784
SiC whisker/Al_2O_3, p. 2
spectra fiber-reinforced, p. 1202
strain rate, p. 821
structural, p. 1288
textile, pp. 607, 656, 1305
thermoplastic, p. 684
Ti-matrix/SCS-6, p. 1413
Ti-GAl-4V/SCS-6, p. 1694
uniaxial compression, p. 36
unidirectional, pp. 66, 980
woven, pp. 1114, 1305
woven fabric, p. 1825
woven laminate, p. 1574
Compression, pp. 1227, 1618
Compression failure, p. 92
Concentric cylinder models, pp. 167, 1452
Concrete reinforcement, p. 1288
Conjugate gradient method, p. 1394
Consolidation stages, p. 1694
Constitutive modeling, p. 980
Coupling, pp. 708, 821
Crack arrest, p. 684

(continued)

Subject Index *(continued)*
Crack bridging, p. 1413
Crack propagation, p. 1413
Crack tip element, pp. 1009, 1371, 1394
Creeping flow, p. 1467
Curing
  degree, p. 486
  temperature, p. 507
Cure cycle, p. 1467
Damage, pp. 1553, 1783, 1803
  fatigue, p. 1261
  growth, p. 305
  location, p. 305
  microcracks, p. 886
  propagation, p. 526
  tolerance, p. 1574
Damping, pp. 112, 382, 1202, 1770
  vibration, p. 1840
  viscoelastic, p. 112
Debonding, pp. 22, 305, 638
Delamination, pp. 36, 77, 190, 684, 837, 940, 1009, 1114, 1202, 1261, 1347, 1371, 1394, 1532, 1574, 1640, 1803
Densification flow pattern, p. 1694
Densification time, p. 1694
Diffusion, non-Fickian, p. 130
Dynamic creep, p. 1261
Dynamic loading impact, p. 821
Eddy current technique, p. 1742
Edge delamination, pp. 1009, 1371
E-glass fabrics, p. 1127
Elastic constants, pp. 252, 329, 980
Elastic modulus, pp. 2, 288
Elasticity, p. 1140
Elastomers, p. 1261
Electrical conductivities, p. 1742
Endurance limit, p. 1261
Energy absorption, p. 1574
Energy release rate, pp. 1009, 1371
Epoxy, pp. 1078, 1227, 1825
Erosion, p. 871
Extrusion, p. 1742
Fabrication process, p. 1480
Failure mechanisms, pp. 305, 821, 1227
Failure prediction, p. 1803
Fatigue
  dual stress, p. 1261
  flexural, p. 1250
  impact, p. 1202
  notch factor, p. 234
  notch sensitivity, p. 234
  strength, p. 1127
Fatigue failure model, p. 1432
Fiber bed permeability, p. 619
Fiber clustering, p. 1467
Fiber-matrix debonding, p. 305
Fiber reinforced materials, p. 1432
Fiber reinforced polymers, pp. 92, 871
  image processing, p. 784
  injection molded composites, p. 784
  stiffness prediction, p. 784
Fibers
  alignment, p. 1618
  alumina, p. 1227
  breakage, pp. 305, 1783
  buckling, p. 92
  carbon, pp. 588, 1288, 1840
  coating, pp. 821, 1452
  crenulated, p. 1322
  critical aspect ratio, p. 588
  direction, p. 36
  disbonded, p. 1322
  glass, pp. 343, 588, 821, 1078
  heated uniaxial, p. 53
  imperfections, p. 92
  noncircular, p. 1322
  optical, pp. 1347, 1532
  orientation, pp. 1227, 1500
  pull out, p. 588
  push-in test, p. 638
  random arrangement, p. 288
  short, p. 871
  suspension, p. 343
  volume, p. 1500
  waviness, pp. 66, 92
Finite element analysis, pp. 1394, 1413
Finite element methods, p. 1140
Flaw detection, p. 329
Fluid mechanics, p. 486
Force history, p. 1783
Fracture behavior, pp. 526, 821, 1227, 1237, 1371, 1574, 1598
Fracture mechanics, p. 1413
Free energy, p. 980
Frequency-dependence, p. 1770
FRP (Fiber Reinforced Plastic), pp. 1288, 1618
Gate location optimization, p. 1098
GFRP, p. 1803

Global/local finite element analysis, p. 1305
Heat transfer, pp. 486, 1491, 1588
Hinge line, p. 1640
Hydrodynamic behavior, p. 1480
Hygrothermal loads, pp. 392, 1057
Hyperconcentrated suspensions, p. 343
Ideal fiber-reinforced fluid, p. 1467
Impact resistant properties, p. 1574
Implants, p. 190
Indentation failure, p. 1803
Inhomogeneity, p. 1598
Interface failure instability (IFI), p. 92
Interfacial cracks, p. 940
Interfacial reactions, p. 1694
Interlaminar tension, p. 367
Intermetallics, p. 1742
Interphase, p. 507, 1140, 1452
Iosipescu specimens, p. 543
Irradiation, p. 980
Kinematic parameter, p. 1057
Lagrangian formulation (updated), p. 36
Laminated facings, p. 1057
Laminates, pp. 1227, 1553, 1803, 1825
  angle-ply, p. 1840
  center-hole, p. 1237
  cross-ply, p. 252
  design, p. 708
  elastic properties of, p. 708
  graphite/epoxy, p. 1371
  satin woven, p. 1250
  stitched, pp. 1114, 1640
  thin fiber-reinforced, p. 329
  unidirectional, p. 1840
  woven, pp. 1078, 1127
Laser Doppler anemometry, p. 1783
Laser excitation, p. 329
Life prediction, p. 1261
Liquid composite molding, p. 1098
Linear damage accumulation theory, p. 1261
Load sequence effect, p. 1261
Loading
  ballistic impact, p. 1202
  biaxial, p. 1158
  cyclic, p. 1659
  line, p. 1640
  mechanical, p. 1057
  tensile, p. 1659
  tension/torsion biaxial, p. 234
  transverse, p. 1322
Local fiber distribution, p. 1500
Local fiber volume fraction, p. 1500
Low velocity impact, pp. 684, 1347, 1532, 1640
Macroelements, p. 1305
Maleic anhydride, p. 821
Marine environment, p. 22
Material discontinuity, p. 190
Mathematical modeling, p. 980
Matrix cracking, pp. 167, 305, 940, 1347, 1532, 1803
Matrix degradation, p. 980
Matrix plastic deformation, p. 305
Microbuckling, pp. 66, 92
Microcracks, p. 886
Micromechanical models, p. 1452
Micromechanics, pp. 343, 800, 980, 1305, 1322
Micromechanics-homogeneization, p. 1140
Micropolar theory, p. 1598
Microscopy, p. 1532
Microstructural characterization, p. 1742
Microstructural design, p. 1180
Modified crack closure method, p. 1394
Moire Interferometry, p. 656
Multi-section specimen, p. 1032
Multi-step braiding, p. 1180
Non-contact measurement, p. 1783
Nondestructive evaluation, pp. 305, 1237, 1742
Non-Fickian moisture diffusion, p. 130
Nonisothermal resin flow, p. 53
Non-linear strain voltage, pp. 262, 415, 459
Notch effect, p. 1127
Notched strength, p. 1078
Notches, p. 1598
On-line inspection, p. 1742
Optimum stitch density, p. 1574
Palmgren-Miner's rule, p. 1261
PEEK coatings, p. 211
  application, p. 211
  C/PEEK substrates, p. 211
  plasma-spray process, p. 211
Piezoceramic materials, pp. 262, 415, 459
Piezoelectric materials, pp. 262, 415, 459
Plain stitch, p. 1574

(continued)

Subject Index *(continued)*
Plastic deformation, multiaxial, p. 800
Ply buckling, p. 92
Poisson's ratio, pp. 252, 638
Polymers, p. 130
  carbon fiber, p. 588
  end debonding, p. 588
  glass fiber, p. 588
  reinforced, p. 588
  short fiber, p. 588
Polypropylene, pp. 343, 821
Powder metallurgy processing, p. 1742
Process design, p. 1098
Processing maps, p. 1694
Product quality monitoring, p. 1742
Projectile impact, p. 1783
Property modeling, p. 1742
Pultrusion, p. 486
Rate effect, p. 1783
Repeated impact, p. 1574
Residual strength, p. 1237
Resin transfer molding (RTM), p. 53
RTM process optimization, p. 1098
Sandwich beams, p. 1057
Sandwich structure, p. 1840
Sandwich theory, p. 262
Secant stiffness changes, p. 1127
Self-aligned test fixture, p. 367
Shape control, pp. 262, 415, 459
Shear
  buckling, p. 708
  instability, p. 66
  modulus, p. 1057
  out-of-plane, p. 543
  transverse, p. 543
Shear vs. bending failure, p. 1803
Silicon carbide, pp. 2, 1742
Slice compression test, p. 638
Slip velocity, p. 486
Smart structures, pp. 262, 415, 459, 1347, 1532, 1659
S-N curves, pp. 234, 1127
Solid hexahedronal element, p. 1394
Specimen design, p. 1032
Springback, p. 392
Squeeze casting, p. 1480
Stability analysis, p. 1467
Stacking sequence, p. 1227
Stiffness coefficients, p. 1057
Stitching, p. 1574
Stokes' flow, p. 1467
Strain and acceleration histories, p. 1640
Strain energy release rate, pp. 684, 821, 837, 1394
Stress
  concentration, p. 1574
  even distribution of, p. 1574
  free edge, pp. 573, 1394
  functions, p. 573
  gradients, p. 190
  interlaminar, pp. 190, 573, 1394
  residual, pp. 130, 638, 684
  temperature induced, p. 392
  thermal, pp. 573, 1322
Subdomain integration, p. 1305
Surface oxidation, p. 2
Tensile testing, pp. 1032, 1237
Textile composites, pp. 607, 656, 1032
  finite elements, p. 607
  global/local analysis, p. 607
  micromechanics, p. 607
  stress analysis, p. 607
Textile preforms, p. 1180
Thermal behavior, p. 1480
Thermal conductivity, pp. 886, 1491
Thermal curvature, p. 1588
Thermal deformation, p. 1588
Thermal expansion, p. 1588
Thermal expansion coefficient, pp. 252, 1588
Thermal mismatch, p. 167
Thermodynamics, p. 980
Thermomechanical modeling, p. 980
Thermoplastic resins, p. 871
3-D field solutions, p. 1803
Through-the-thickness properties, p. 1032
Transverse cracking, p. 507
Transverse strain to failure, p. 1452
Transverse strength, p. 22
Transverse tension, p. 22
Transversely-isotropic viscoelastic materials, p. 382
Ultrasonic evaluation, p. 329
Unidirectional FRP, p. 1618
Variable fiber volume fraction, p. 1500
Velocity history, p. 1783
Vibration, p. 112
Vinyl ester resin matrix, p. 1202
Viscoelasticity, pp. 1250, 1770
Viscoelastic materials, p. 382

Volume fraction calculation, p. 1742
Volume visualization, p. 1347
Weibull analysis, p. 507
Whisker, p. 2
Woven fabric, p. 234
Yeh-Stratton failure criterion, p. 926

AUTHOR INDEX

Adan, M., p. 77
Agbossou, A., pp. 821, 1140
Alberola, N., p. 821
Al-Nimr, M. A., p. 1480
Altus, E., p. 77
Assar, A.-E. M., p. 1480
Bakuckas, J. G., Jr., p. 305
Bathias, C., pp. 1078, 1127
Bhat, N. V., p. 190
Cai, L.-W., p. 130
Cairns, D. S., pp. 92, 1598
Caprino, G., p. 1237
Carapella, E. E., p. 1322
Carlsson, L. A., p. 22
Carman, G. P., p. 1452
Case, E. D., p. 2
Case, S. W., p. 1452
Chang, C. C., pp. 1347, 1532
Chang, F.-K., p. 940
Chao, C.-P., p. 980
Chaturvedi, S. K., p. 980
Chen, Y.-C., p. 1783
Cheng, A., p. 784
Chiu, C.-C., p. 2
Chiu, C. S., p. 2
Chou, T.-W., p. 1032, 1180
Christoforou, A. P., p. 1553
Coffin, D. W., p. 343
Cox, B. N., p. 1114
Dahlen, C., p. 732
Dasgupta, A., p. 784
Davidson, B. D., pp. 1009, 1371
Doghri, I., p. 167
Donaldson, S. L., p. 1659
Ellyin, F., p. 1432
El-Shiekh, A. H. M., p. 526
Engel, R. S., p. 53
Enyama, J., p. 1250
Fawaz, Z., p. 1432
Filatovs, G. J., p. 526
Fujii, T., p. 234
Fukunaga, H., p. 708
Gipple, K. L., p. 543
Goodspeed, C. H., p. 1288
Gorthala, R., p. 486
Graham, A. L., p. 288
Griffin, O. H., Jr., p. 1322
Gu, Y. H., p. 1227
Gulrajani, S. N., p. 837
Gundapaneni, S., p. 607
Häberle, J. G., p. 1618
Hamao, T., p. 871
He, C. C., p. 1394
He, S., p. 112
Hoyns, D., p. 543
Hsu, D. K., p. 1742
Hsu, T.-C. J., p. 1840
Hsueh, C.-H., p. 638
Hyer, M. W., p. 1322
Ifju, P. G., p. 656
Ilcewicz, L. B., p. 1598
Ingber, M. S., p. 288
Jamison, R. D., p. 211
Jansson, S., p. 167
Jeong, H., p. 1742
Johnson, W. S., p. 305
Jorgensen, O., p. 1803
Kang, C. G., p. 155
Kang, S. S., p. 155
Kang, T. J., p. 1574
Kennedy, T. C., p. 902
Kerth, S., p. 1723
Kim, C. H., p. 926
Kim, K. S., p. 1413
Kline, R., p. 352
Koconis, D. B., p. 262, 415, 459
Kollár, L. P., pp. 262, 392, 415, 459
Kostar, T. D., p. 1180
Lagace, P. A., p. 190
Lagache, M., p. 1140
Lai, D., p. 1078
Laroche, D., p. 1825
Leckie, F. A., p. 167
Lee, B. L., pp. 1202, 1261
Lee, S. H., p. 1574

(continued)

Author Index *(continued)*
Lemaitre, J., p. 167
Lesieutre, G. A., pp. 382, 1770
Liao, F.-S., p. 1840
Liau, J., p. 1640
Liaw, P. K., p. 1742
Liu, D. S., p. 1261
Liu, S., p. 940
Maahs, H. G., p. 1322
Madaras, E., p. 352
Maier, M., p. 1723
Masters, J. E., p. 656
Matthews, F. L., p. 1618
McMurray, M. K., p. 1250
Mele, P., p. 821
Mignolet, M. P., p. 1467
Minguet, P. J., p. 1598
Miyano, Y., p. 1250
Miyazaki, N., p. 871
Mondy, L. A., p. 288
Moore, L., p. 352
Mukherjee, S., p. 837
Mukherjee, Y. X., p. 837
Mukhopadhyay, A. K., p. 1057
Muller, D., p. 1140
Naik, R. A., p. 656
Nakada, M., p. 1250
Netravali, A. N., p. 837
Nicolaou, P. D., p. 1694
Okubo, K., p. 234
Pan, N., p. 1500
Pandelidis, I., p. 784
Papathanasiou, T. D., p. 288
Parvizi-Majidi, A., p. 1032
Pastor, J., p. 1140
Peters, P. W. M., p. 507
Phillippidis, T. P., p. 252
Piehler, H. R., p. 1694
Piggott, M. R., p. 588
Pipes, R. B., p. 343
Pitchumani, R., p. 1742
Pomies, F., p. 22
Prieur Du Plessis, J., p. 619
Prosser, W. H., p. 305
Ransone, P., p. 352
Rao, M. D., p. 112
Roux, J. A., p. 486
Roy, A. K., p. 367
Sachse, W., p. 329
Sadler, R. L., p. 526
Saigal, S., p. 1694
Schmeckpeper, E. R., p. 1288
Sekine, H., p. 708
Shan, H.-Z., p. 1032
Sheinman, I., p. 77
Shiina, T., p. 234
Shuler, S. F., p. 343
Sierakowski, R. L., p. 1057
Simacek, P., p. 343
Sirkis, J. S., pp. 784, 1347, 1532
Smith, B. T., p. 1347
Smith, L. V., p. 1158
Song, J. W., p. 1202
Springer, G., p. 1659
Springer, G. S., pp. 262, 415, 459, 732
Strait, L. H., p. 211
Su, A.-C., p. 1840
Suemasu, H., p. 1723
Swanson, S. R., p. 1158
Tan, C.-M., p. 36
Teti, R., p. 1237
Theocaris, P. S., p. 252
Tsai, C.-Z., p. 1783
Tszeng, T. C., p. 800
Tzou, D. Y., p. 886
Vaughan, J. G., p. 486
Veidt, M., p. 329
Vu-Khanh, T., pp. 684, 1825
Walker, T., p. 1598
Wang, H., p. 684
Wang, J., pp. 1491, 1588
Wang, M., p. 902
Ward, J. E., p. 1202
Weitsman, Y., p. 130
Westhuizen, J., p. 619
Wetherhold, R. C., pp. 1491, 1588
Whitcomb, J., pp. 607, 1305
Williams, T. O., p. 92
Wisnom, M. R., p. 66
Woo, K., pp. 607, 1305
Wu, E., pp. 1640, 1783
Wymer, S. A., p. 53
Xiao, J., pp. 1078, 1127
Yang, H. T. Y., p. 1394
Yao, S. C., p. 1742
Yeh, H.-Y., p. 926
Yeh, M.-K., p. 36
Yigit, A. S., p. 1553
Yin, W.-L., p. 573
Young, W.-B., p. 1098
Yu, Y.-Y., p. 1057